

# REKORD

All balers,  
all conditions!

## Rekord EnergiX<sup>®</sup> Tech

### SUSTAINABLE INNOVATION

- Increase baler productivity and knot quality with Rekord EnergiX Tech.
- Introducing a flexible binding system capable of dissipating the energy of the strongest impact whilst enhancing bale density. EnergiX Tech delivers a thinner diameter twine, longer spool and increased strength to keep your baler productive for as long as possible.



### PRODUCT SPECIFICATIONS

PRODUCT	COLOUR	SPOOL LENGTH (M)	TWIN PACK LENGTH (M)	HAY BALES PER PALLET (6 STRING) *	HAY BALES PER PALLET (8 STRING) *	SPOOLS PER FULL STACK	TWIN PACKS PER FULL STACK
Rekord HD Prime with EnergiX	Purple	1,350	2,700	3,240	2,445	96	48
Rekord HD Ultimate with EnergiX	Purple	1,150	2,300	2,760	2,083	96	48

\* Based on 8ft x 3ft x 4ft bales

## FEATURES

1. Versatile across all square baling makes and models
2. Crop versatility
3. EnergX technology
4. Less plastic usage per bale

## BENEFITS

1. No requirement to adjust machine knotters - load and go!
2. No adjustments needed when transitioning from one crop type to another.
3. EnergX technology enhances knotter performance ensuring superior shock absorbing capacity and protection of the knot from breakages and slippage.
4. Thinner twine diameter and longer spool length reduces plastic use per bale. Fully recyclable once removed from the bale.



TWINE RANGE

## APPLICATION TIPS

### Pre-baling

- The use of a 'rotary' rake in general, makes the best windrows to allow for easy, even nice square bales for owner and operator.
- Ensuring the hay is cured is critical. The use of hay inoculants or pH neutralised preservatives such as Hay Shield or Hay Mate is recommended for pushing the baling window wider and/or earlier baling to improve leaf retention, colour and feed test.

### Baling

#### It's important to:

1. Check the twine tension.
2. Check bill hook opening.
3. Check the twine disk adjustment to minimise mis-ties.
4. Check the tension on the top and bottom twine holding gears.
5. Check the condition of the needle rollers.
6. The operator must set the correct moisture content, bale load and density. If settings are too high or low, this can affect the load on the twine during the tying cycle.
7. Check the knife on the knotter arm is sharp.
8. Check the timing of the knife arm to bill hook. This is critical.
9. Check all wear and tear within the knotting system. Replace liberally – particularly in the new high performance balers.

The key advantage of Rekord HD Prime twine is its versatility when baling flat, non-springy crops such as lucerne, vetch or clover, or in addition to more demanding crops such as oaten hay, straw etc. In some extreme, dry conditions Rekord HD Ultimate may be required

